



|  |   |
|--|---|
| <b>System</b>                                  | Linux u20 5.4.0-73-generic #82-Ubuntu SMP Wed Apr 14 17:39:42 UTC 2021 x86_64   |
| <b>Build Date</b>                              | Jul 1 2021 15:26:46   |
| <b>Build System</b>                            | Linux   |
| <b>Server API</b>                              | FPM/FastCGI   |
| <b>Virtual Directory Support</b>               | disabled  |
| <b>Configuration File (php.ini) Path</b>       | /etc/php/8.0/fpm  |
| <b>Loaded Configuration File</b>               | /etc/php/8.0/fpm/php.ini  |
| <b>Scan this dir for additional .ini files</b> | /etc/php/8.0/fpm/conf.d   |
| <b>Additional .ini files parsed</b>            | /etc/php/8.0/fpm/conf.d/10-mysqld.ini, /etc/php/8.0/fpm/conf.d/10-opcache.ini, /etc/php/8.0/fpm/conf.d/10-pdo.ini, /etc/php/8.0/fpm/conf.d/15-xml.ini, /etc/php/8.0/fpm/conf.d/20-bcmath.ini, /etc/php/8.0/fpm/conf.d/20-calendar.ini, /etc/php/8.0/fpm/conf.d/20-ctype.ini, /etc/php/8.0/fpm/conf.d/20-dom.ini, /etc/php/8.0/fpm/conf.d/20-exif.ini, /etc/php/8.0/fpm/conf.d/20-ffi.ini, /etc/php/8.0/fpm/conf.d/20-fileinfo.ini, /etc/php/8.0/fpm/conf.d/20-ftp.ini, /etc/php/8.0/fpm/conf.d/20-gd.ini, /etc/php/8.0/fpm/conf.d/20-gettext.ini, /etc/php/8.0/fpm/conf.d/20-iconv.ini, /etc/php/8.0/fpm/conf.d/20-ldap.ini, /etc/php/8.0/fpm/conf.d/20-mbstring.ini, /etc/php/8.0/fpm/conf.d/20-mysqli.ini, /etc/php/8.0/fpm/conf.d/20-pdo_mysql.ini, /etc/php/8.0/fpm/conf.d/20-phar.ini, /etc/php/8.0/fpm/conf.d/20-posix.ini, /etc/php/8.0/fpm/conf.d/20-readline.ini, /etc/php/8.0/fpm/conf.d/20-shmop.ini, /etc/php/8.0/fpm/conf.d/20-simplexml.ini, /etc/php/8.0/fpm/conf.d/20-sockets.ini, /etc/php/8.0/fpm/conf.d/20-sysvmsg.ini, /etc/php/8.0/fpm/conf.d/20-sysvsem.ini, /etc/php/8.0/fpm/conf.d/20-sysvshm.ini, /etc/php/8.0/fpm/conf.d/20-tokenizer.ini, /etc/php/8.0/fpm/conf.d/20-xmlreader.ini, /etc/php/8.0/fpm/conf.d/20-xmlwriter.ini, /etc/php/8.0/fpm/conf.d/20-xsl.ini |
| <b>PHP API</b>                                 | 20200930  |
| <b>PHP Extension</b>                           | 20200930  |
| <b>Zend Extension</b>                          | 420200930   |
| <b>Zend Extension Build</b>                    | API420200930,NTS  |
| <b>PHP Extension Build</b>                     | API20200930,NTS   |
| <b>Debug Build</b>                             | no  |
| <b>Thread Safety</b>                           | disabled  |
| <b>Zend Signal Handling</b>                    | enabled   |
| <b>Zend Memory Manager</b>                     | enabled   |
| <b>Zend Multibyte Support</b>                  | provided by mbstring  |
| <b>IPv6 Support</b>                            | enabled   |
| <b>DTrace Support</b>                          | available, disabled   |
| <b>Registered PHP Streams</b>                  | https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar  |
| <b>Registered Stream Socket Transports</b>     | tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3   |
| <b>Registered Stream Filters</b>               | zlib.*, string.rot13, string.toupper, string.tolower, convert.*, consumed, dechunk, convert.iconv.*   |

## Configuration

### bcmath

|                |         |
|----------------|---------|
| BCMath support | enabled |
|----------------|---------|

| Directive    | Local Value | Master Value |
|--------------|-------------|--------------|
| bcmath.scale | 0           | 0            |

### calendar

|                  |         |
|------------------|---------|
| Calendar support | enabled |
|------------------|---------|

### cgi-fcgi

|         |        |
|---------|--------|
| php-fpm | active |
|---------|--------|

| Directive               | Local Value     | Master Value    |
|-------------------------|-----------------|-----------------|
| cgi.discard_path        | Off             | Off             |
| cgi.fix_pathinfo        | On              | On              |
| cgi.force_redirect      | On              | On              |
| cgi.nph                 | Off             | Off             |
| cgi.redirect_status_env | <i>no value</i> | <i>no value</i> |
| cgi.rfc2616_headers     | Off             | Off             |
| fastcgi.error_header    | <i>no value</i> | <i>no value</i> |
| fastcgi.logging         | On              | On              |
| fpm.config              | <i>no value</i> | <i>no value</i> |

### Core

|             |       |
|-------------|-------|
| PHP Version | 8.0.8 |
|-------------|-------|

| Directive       | Local Value | Master Value |
|-----------------|-------------|--------------|
| allow_url_fopen | On          | On           |

|                          |  |  |
|--------------------------|--|--|
| allow_url_include        | Off  | Off  |
| arg_separator.input      | &  | &  |
| arg_separator.output     | &  | &  |
| auto_append_file         | <i>no value</i>  | <i>no value</i>  |
| auto_globals_jit         | On   | On   |
| auto_prepend_file        | <i>no value</i>  | <i>no value</i>  |
| browscap                 | <i>no value</i>  | <i>no value</i>  |
| default_charset          | UTF-8  | UTF-8  |
| default_mimetype         | text/html  | text/html  |
| disable_classes          | <i>no value</i>  | <i>no value</i>  |
| disable_functions        | pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wifcontinued,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_get_handler,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,pcntl_async_signals,pcntl_unsh | pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wifcontinued,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_get_handler,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,pcntl_async_signals,pcntl_unsh |
| display_errors           | Off  | Off  |
| display_startup_errors   | Off  | Off  |
| doc_root                 | <i>no value</i>  | <i>no value</i>  |
| docref_ext               | <i>no value</i>  | <i>no value</i>  |
| docref_root              | <i>no value</i>  | <i>no value</i>  |
| enable_dl                | Off  | Off  |
| enable_post_data_reading | On   | On   |
| error_append_string      | <i>no value</i>  | <i>no value</i>  |
| error_log                | <i>no value</i>  | <i>no value</i>  |
| error_prepend_string     | <i>no value</i>  | <i>no value</i>  |
| error_reporting          | 22527  | 22527  |
| expose_php               | Off  | Off  |
| extension_dir            | /usr/lib/php/20200930  | /usr/lib/php/20200930  |
| file_uploads             | On   | On   |
| hard_timeout             | 2  | 2  |
| highlight.comment        | #FF8000  | #FF8000  |
| highlight.default        | #0000BB  | #0000BB  |
| highlight.html           | #000000  | #000000  |
| highlight.keyword        | #007700  | #007700  |
| highlight.string         | #DD0000  | #DD0000  |

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| html_errors                 | On                       | On                       |
| ignore_repeated_errors      | Off                      | Off                      |
| ignore_repeated_source      | Off                      | Off                      |
| ignore_user_abort           | Off                      | Off                      |
| implicit_flush              | Off                      | Off                      |
| include_path                | ./usr/share/php          | ./usr/share/php          |
| input_encoding              | <i>no value</i>          | <i>no value</i>          |
| internal_encoding           | <i>no value</i>          | <i>no value</i>          |
| log_errors                  | On                       | On                       |
| log_errors_max_len          | 1024                     | 1024                     |
| mail.add_x_header           | Off                      | Off                      |
| mail.force_extra_parameters | <i>no value</i>          | <i>no value</i>          |
| mail.log                    | <i>no value</i>          | <i>no value</i>          |
| max_execution_time          | 300                      | 300                      |
| max_file_uploads            | 20                       | 20                       |
| max_input_nesting_level     | 64                       | 64                       |
| max_input_time              | 300                      | 300                      |
| max_input_vars              | 10000                    | 10000                    |
| memory_limit                | 128M                     | 128M                     |
| open_basedir                | <i>no value</i>          | <i>no value</i>          |
| output_buffering            | 4096                     | 4096                     |
| output_encoding             | <i>no value</i>          | <i>no value</i>          |
| output_handler              | <i>no value</i>          | <i>no value</i>          |
| post_max_size               | 16M                      | 16M                      |
| precision                   | 14                       | 14                       |
| realpath_cache_size         | 4096K                    | 4096K                    |
| realpath_cache_ttl          | 120                      | 120                      |
| register_argc_argv          | Off                      | Off                      |
| report_memleaks             | On                       | On                       |
| report zend debug           | Off                      | Off                      |
| request_order               | GP                       | GP                       |
| sendmail_from               | <i>no value</i>          | <i>no value</i>          |
| sendmail_path               | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision         | -1                       | -1                       |
| short_open_tag              | Off                      | Off                      |
|                             |                          |                          |

|  |                 |                 |
|--|-----------------|-----------------|
| <b>SMTP</b>                                | localhost       | localhost       |
| <b>smtp_port</b>                           | 25              | 25              |
| <b>sys_temp_dir</b>                        | <i>no value</i> | <i>no value</i> |
| <b>syslog.facility</b>                     | LOG_USER        | LOG_USER        |
| <b>syslog.filter</b>                       | no-ctrl         | no-ctrl         |
| <b>syslog.ident</b>                        | php             | php             |
| <b>unserialize_callback_func</b>           | <i>no value</i> | <i>no value</i> |
| <b>upload_max_filesize</b>                 | 2M              | 2M              |
| <b>upload_tmp_dir</b>                      | <i>no value</i> | <i>no value</i> |
| <b>user_dir</b>                            | <i>no value</i> | <i>no value</i> |
| <b>user_ini.cache_ttl</b>                  | 300             | 300             |
| <b>user_ini.filename</b>                   | .user.ini       | .user.ini       |
| <b>variables_order</b>                     | GPCS            | GPCS            |
| <b>xmlrpc_error_number</b>                 | 0               | 0               |
| <b>xmlrpc_errors</b>                       | Off             | Off             |
| <b>zend.assertions</b>                     | -1              | -1              |
| <b>zend.detect_unicode</b>                 | On              | On              |
| <b>zend.enable_gc</b>                      | On              | On              |
| <b>zend.exception_ignore_args</b>          | On              | On              |
| <b>zend.exception_string_param_max_len</b> | 0               | 0               |
| <b>zend.multibyte</b>                      | Off             | Off             |
| <b>zend.script_encoding</b>                | <i>no value</i> | <i>no value</i> |
| <b>zend.signal_check</b>                   | Off             | Off             |

## ctype

|                        |         |
|------------------------|---------|
| <b>ctype functions</b> | enabled |
|------------------------|---------|

## date

|  |          |
|--|----------|
| <b>date/time support</b>                 | enabled  |
| <b>timelib version</b>                   | 2020.02  |
| <b>"Olson" Timezone Database Version</b> | 0.system |
| <b>Timezone Database</b>                 | internal |
| <b>Default timezone</b>                  | UTC      |

| Directive | Local Value | Master Value |
|-----------|-------------|--------------|
|-----------|-------------|--------------|

|                        |                 |                 |
|------------------------|-----------------|-----------------|
| date.default_latitude  | 31.7667         | 31.7667         |
| date.default_longitude | 35.2333         | 35.2333         |
| date.sunrise_zenith    | 90.833333       | 90.833333       |
| date.sunset_zenith     | 90.833333       | 90.833333       |
| date.timezone          | <i>no value</i> | <i>no value</i> |

## dom

|                     |          |
|---------------------|----------|
| DOM/XML             | enabled  |
| DOM/XML API Version | 20031129 |
| libxml Version      | 2.9.12   |
| HTML Support        | enabled  |
| XPath Support       | enabled  |
| XPointer Support    | enabled  |
| Schema Support      | enabled  |
| RelaxNG Support     | enabled  |

## exif

|   |  |
|---|--|
| EXIF Support                              | enabled  |
| Supported EXIF Version                    | 0220   |
| Supported filetypes                       | JPEG, TIFF   |
| Multibyte decoding support using mbstring | enabled  |
| Extended EXIF tag formats                 | Canon, Casio, Fujifilm, Nikon, Olympus, Samsung, Panasonic, DJI, Sony, Pentax, Minolta, Sigma, Foveon, Kyocera, Ricoh, AGFA, Epson |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| exif.decode_jis_intel        | JIS             | JIS             |
| exif.decode_jis_motorola     | JIS             | JIS             |
| exif.decode_unicode_intel    | UCS-2LE         | UCS-2LE         |
| exif.decode_unicode_motorola | UCS-2BE         | UCS-2BE         |
| exif.encode_jis              | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode          | ISO-8859-15     | ISO-8859-15     |

## FFI

|             |         |
|-------------|---------|
| FFI support | enabled |
|-------------|---------|

| Directive   | Local Value     | Master Value    |
|-------------|-----------------|-----------------|
| ffi.enable  | preload         | preload         |
| ffi.preload | <i>no value</i> | <i>no value</i> |

## fileinfo

|                  |         |
|------------------|---------|
| fileinfo support | enabled |
| libmagic         | 539     |

## filter

|                                |         |
|--------------------------------|---------|
| Input Validation and Filtering | enabled |
|--------------------------------|---------|

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| filter.default       | unsafe_raw      | unsafe_raw      |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

## ftp

|              |         |
|--------------|---------|
| FTP support  | enabled |
| FTPS support | enabled |

## gd

|                    |               |
|--------------------|---------------|
| GD Support         | enabled       |
| GD headers Version | 2.3.0         |
| GD library Version | 2.3.0         |
| FreeType Support   | enabled       |
| FreeType Linkage   | with freetype |
| GIF Read Support   | enabled       |
| GIF Create Support | enabled       |
| JPEG Support       | enabled       |
| PNG Support        | enabled       |
| WBMP Support       | enabled       |
| XPM Support        | enabled       |
| XBM Support        | enabled       |
| WebP Support       | enabled       |

|                         |         |
|-------------------------|---------|
| <b>BMP Support</b>      | enabled |
| <b>TGA Read Support</b> | enabled |

| Directive                     | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| <b>gd.jpeg_ignore_warning</b> | 1           | 1            |

## gettext

|                        |         |
|------------------------|---------|
| <b>GetText Support</b> | enabled |
|------------------------|---------|

## hash

|                        |   |
|------------------------|---|
| <b>hash support</b>    | enabled   |
| <b>Hashing Engines</b> | md2 md4 md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b crc32c fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

|                          |                  |
|--------------------------|------------------|
| <b>MHASH support</b>     | Enabled          |
| <b>MHASH API Version</b> | Emulated Support |

## iconv

|                              |         |
|------------------------------|---------|
| <b>iconv support</b>         | enabled |
| <b>iconv implementation</b>  | glibc   |
| <b>iconv library version</b> | 2.31    |

| Directive                      | Local Value     | Master Value    |
|--------------------------------|-----------------|-----------------|
| <b>iconv.input_encoding</b>    | <i>no value</i> | <i>no value</i> |
| <b>iconv.internal_encoding</b> | <i>no value</i> | <i>no value</i> |
| <b>iconv.output_encoding</b>   | <i>no value</i> | <i>no value</i> |

## json

|                     |         |
|---------------------|---------|
| <b>json support</b> | enabled |
|---------------------|---------|

## ldap

|                     |         |
|---------------------|---------|
| <b>LDAP Support</b> | enabled |
|---------------------|---------|



|                       |             |
|-----------------------|-------------|
| <b>Total Links</b>    | 0/unlimited |
| <b>API Version</b>    | 3001        |
| <b>Vendor Name</b>    | OpenLDAP    |
| <b>Vendor Version</b> | 20449       |
| <b>SASL Support</b>   | Enabled     |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| ldap.max_links | Unlimited   | Unlimited    |

## libxml

|                         |         |
|-------------------------|---------|
| libXML support          | active  |
| libXML Compiled Version | 2.9.12  |
| libXML Loaded Version   | 20910   |
| libXML streams          | enabled |

## mbstring

|                                 |          |
|---------------------------------|----------|
| Multibyte Support               | enabled  |
| Multibyte string engine         | libmbfl  |
| HTTP input encoding translation | disabled |
| libmbfl version                 | 1.3.2    |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

|                                     |         |
|-------------------------------------|---------|
| Multibyte (japanese) regex support  | enabled |
| Multibyte regex (oniguruma) version | 6.9.4   |

| Directive                           | Local Value                   | Master Value                  |
|-------------------------------------|-------------------------------|-------------------------------|
| mbstring.detect_order               | <i>no value</i>               | <i>no value</i>               |
| mbstring.encoding_translation       | Off                           | Off                           |
| mbstring.http_input                 | <i>no value</i>               | <i>no value</i>               |
| mbstring.http_output                | <i>no value</i>               | <i>no value</i>               |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml+xml) | ^(text application/xhtml+xml) |
| mbstring.internal_encoding          | <i>no value</i>               | <i>no value</i>               |
| mbstring.language                   | neutral                       | neutral                       |
| mbstring.regex_retry_limit          | 1000000                       | 1000000                       |

|                               |                 |                 |
|-------------------------------|-----------------|-----------------|
| mbstring.regex_stack_limit    | 100000          | 100000          |
| mbstring.strict_detection     | Off             | Off             |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

## mysqli

| Mysqli Support             | enabled      |
|----------------------------|--------------|
| Client API library version | mysqli 8.0.8 |
| Active Persistent Links    | 0            |
| Inactive Persistent Links  | 0            |
| Active Links               | 0            |

| Directive                       | Local Value                 | Master Value                |
|---------------------------------|-----------------------------|-----------------------------|
| mysqli.allow_local_infile       | Off                         | Off                         |
| mysqli.allow_persistent         | On                          | On                          |
| mysqli.default_host             | <i>no value</i>             | <i>no value</i>             |
| mysqli.default_port             | 3306                        | 3306                        |
| mysqli.default_pw               | <i>no value</i>             | <i>no value</i>             |
| mysqli.default_socket           | /var/run/mysqld/mysqld.sock | /var/run/mysqld/mysqld.sock |
| mysqli.default_user             | <i>no value</i>             | <i>no value</i>             |
| mysqli.max_links                | Unlimited                   | Unlimited                   |
| mysqli.max_persistent           | Unlimited                   | Unlimited                   |
| mysqli.reconnect                | Off                         | Off                         |
| mysqli.rollback_on_cached_plink | Off                         | Off                         |

## mysqlnd

| mysqlnd                      | enabled       |
|------------------------------|---------------|
| Version                      | mysqlnd 8.0.8 |
| Compression                  | supported     |
| core SSL                     | supported     |
| extended SSL                 | supported     |
| Command buffer size          | 4096          |
| Read buffer size             | 32768         |
| Read timeout                 | 86400         |
| Collecting statistics        | Yes           |
| Collecting memory statistics | No            |

|                       |  |
|-----------------------|--|
| <b>Tracing</b>        | n/a  |
| <b>Loaded plugins</b> | mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_caching_sha2_password,auth_plugin_sha256_password |
| <b>API Extensions</b> | mysqli,pdo_mysql   |

## openssl

|                                |                            |
|--------------------------------|----------------------------|
| <b>OpenSSL support</b>         | enabled                    |
| <b>OpenSSL Library Version</b> | OpenSSL 1.1.1f 31 Mar 2020 |
| <b>OpenSSL Header Version</b>  | OpenSSL 1.1.1f 31 Mar 2020 |
| <b>Openssl default config</b>  | /usr/lib/ssl/openssl.cnf   |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| openssl.cafile | no value    | no value     |
| openssl.capath | no value    | no value     |

## pcre

|   |                                       |
|---|---------------------------------------|
| <b>PCRE (Perl Compatible Regular Expressions) Support</b> | enabled                               |
| <b>PCRE Library Version</b>                               | 10.34 2019-11-21                      |
| <b>PCRE Unicode Version</b>                               | 12.1.0                                |
| <b>PCRE JIT Support</b>                                   | enabled                               |
| <b>PCRE JIT Target</b>                                    | x86 64bit (little endian + unaligned) |

| Directive            | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000     | 1000000      |
| pcre.jit             | 1           | 1            |
| pcre.recursion_limit | 100000      | 100000       |

## PDO

|                    |         |
|--------------------|---------|
| <b>PDO support</b> | enabled |
| <b>PDO drivers</b> | mysql   |

## pdo\_mysql

|                             |         |
|-----------------------------|---------|
| <b>PDO Driver for MySQL</b> | enabled |
|                             |         |

|                    |               |
|--------------------|---------------|
| Client API version | mysqlnd 8.0.8 |
|--------------------|---------------|

| Directive                | Local Value                   | Master Value                  |
|--------------------------|-------------------------------|-------------------------------|
| pdo_mysql.default_socket | /var/run/mysqlnd/mysqlnd.sock | /var/run/mysqlnd/mysqlnd.sock |

## Phar

| Phar: PHP Archive support | enabled                    |
|---------------------------|----------------------------|
| Phar API version          | 1.1.1                      |
| Phar-based phar archives  | enabled                    |
| Tar-based phar archives   | enabled                    |
| ZIP-based phar archives   | enabled                    |
| gzip compression          | enabled                    |
| bzip2 compression         | disabled (install ext/bz2) |
| Native OpenSSL support    | enabled                    |

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive         | Local Value     | Master Value    |
|-------------------|-----------------|-----------------|
| phar.cache_list   | <i>no value</i> | <i>no value</i> |
| phar.readonly     | On              | On              |
| phar.require_hash | On              | On              |

## posix

|               |         |
|---------------|---------|
| POSIX support | enabled |
|---------------|---------|

## readline

| Readline Support | enabled          |
|------------------|------------------|
| Readline library | EditLine wrapper |

| Directive  | Local Value     | Master Value    |
|------------|-----------------|-----------------|
| cli.pager  | <i>no value</i> | <i>no value</i> |
| cli.prompt | \b \>           | \b \>           |

## Reflection

|            |         |
|------------|---------|
| Reflection | enabled |
|------------|---------|

## session

|                                |                              |
|--------------------------------|------------------------------|
| Session Support                | enabled                      |
| Registered save handlers       | files user                   |
| Registered serializer handlers | php_serialize php php_binary |

| Directive                        | Local Value                 | Master Value                |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start               | Off                         | Off                         |
| session.cache_expire             | 180                         | 180                         |
| session.cache_limiter            | nocache                     | nocache                     |
| session.cookie_domain            | <i>no value</i>             | <i>no value</i>             |
| session.cookie_httponly          | <i>no value</i>             | <i>no value</i>             |
| session.cookie_lifetime          | 0                           | 0                           |
| session.cookie_path              | /                           | /                           |
| session.cookie_samesite          | <i>no value</i>             | <i>no value</i>             |
| session.cookie_secure            | 0                           | 0                           |
| session.gc_divisor               | 1000                        | 1000                        |
| session.gc_maxlifetime           | 1440                        | 1440                        |
| session.gc_probability           | 0                           | 0                           |
| session.lazy_write               | On                          | On                          |
| session.name                     | PHPSESSID                   | PHPSESSID                   |
| session.referer_check            | <i>no value</i>             | <i>no value</i>             |
| session.save_handler             | files                       | files                       |
| session.save_path                | /var/lib/php/sessions/      | /var/lib/php/sessions/      |
| session.serialize_handler        | php                         | php                         |
| session.sid_bits_per_character   | 5                           | 5                           |
| session.sid_length               | 26                          | 26                          |
| session.upload_progress.cleanup  | On                          | On                          |
| session.upload_progress.enabled  | On                          | On                          |
| session.upload_progress.freq     | 1%                          | 1%                          |
| session.upload_progress.min_freq | 1                           | 1                           |
| session.upload_progress.name     | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix   | upload_progress_            | upload_progress_            |
| session.use_cookies              | 1                           | 1                           |

|                          |   |   |
|--------------------------|---|---|
| session.use_only_cookies | 1 | 1 |
| session.use_strict_mode  | 0 | 0 |
| session.use_trans_sid    | 0 | 0 |

## shmop

|               |         |
|---------------|---------|
| shmop support | enabled |
|---------------|---------|

## SimpleXML

|                   |         |
|-------------------|---------|
| SimpleXML support | enabled |
| Schema support    | enabled |

## sockets

|                 |         |
|-----------------|---------|
| Sockets Support | enabled |
|-----------------|---------|

## sodium

|                           |         |
|---------------------------|---------|
| sodium support            | enabled |
| libsodium headers version | 1.0.18  |
| libsodium library version | 1.0.18  |

## SPL

|             |   |
|-------------|---|
| SPL support | enabled   |
| Interfaces  | OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject   |
| Classes     | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

## standard

|                         |                          |
|-------------------------|--------------------------|
| Dynamic Library Support | enabled                  |
| Path to sendmail        | /usr/sbin/sendmail -t -i |

| Directive                       | Local Value                      | Master Value                     |
|---------------------------------|----------------------------------|----------------------------------|
| <b>assert.active</b>            | On                               | On                               |
| <b>assert.bail</b>              | Off                              | Off                              |
| <b>assert.callback</b>          | <i>no value</i>                  | <i>no value</i>                  |
| <b>assert.exception</b>         | On                               | On                               |
| <b>assert.warning</b>           | On                               | On                               |
| <b>auto_detect_line_endings</b> | Off                              | Off                              |
| <b>default_socket_timeout</b>   | 60                               | 60                               |
| <b>from</b>                     | <i>no value</i>                  | <i>no value</i>                  |
| <b>session.trans_sid_hosts</b>  | <i>no value</i>                  | <i>no value</i>                  |
| <b>session.trans_sid_tags</b>   | a=href,area=href,frame=src,form= | a=href,area=href,frame=src,form= |
| <b>unserialize_max_depth</b>    | 4096                             | 4096                             |
| <b>url_rewriter.hosts</b>       | <i>no value</i>                  | <i>no value</i>                  |
| <b>url_rewriter.tags</b>        | form=                            | form=                            |
| <b>user_agent</b>               | <i>no value</i>                  | <i>no value</i>                  |

## sysvmsg

|                        |         |
|------------------------|---------|
| <b>sysvmsg support</b> | enabled |
|------------------------|---------|

## sysvsem

|                        |         |
|------------------------|---------|
| <b>sysvsem support</b> | enabled |
|------------------------|---------|

## sysvshm

|                        |         |
|------------------------|---------|
| <b>sysvshm support</b> | enabled |
|------------------------|---------|

## tokenizer

|                          |         |
|--------------------------|---------|
| <b>Tokenizer Support</b> | enabled |
|--------------------------|---------|

## xml

|                              |        |
|------------------------------|--------|
| <b>XML Support</b>           | active |
| <b>XML Namespace Support</b> | active |
| <b>libxml2 Version</b>       | 2.9.12 |

## xmlreader

|                  |         |
|------------------|---------|
| <b>XMLReader</b> | enabled |
|------------------|---------|

## xmlwriter

|                  |         |
|------------------|---------|
| <b>XMLWriter</b> | enabled |
|------------------|---------|

## xsl

|  |         |
|--|---------|
| <b>XSL</b>                                     | enabled |
| <b>libxslt Version</b>                         | 1.1.34  |
| <b>libxslt compiled against libxml Version</b> | 2.9.10  |
| <b>EXSLT</b>                                   | enabled |
| <b>libexslt Version</b>                        | 1.1.34  |

## Zend OPcache

|                                     |                |
|-------------------------------------|----------------|
| <b>Opcode Caching</b>               | Up and Running |
| <b>Optimization</b>                 | Enabled        |
| <b>SHM Cache</b>                    | Enabled        |
| <b>File Cache</b>                   | Disabled       |
| <b>JIT</b>                          | Disabled       |
| <b>Startup</b>                      | OK             |
| <b>Shared memory model</b>          | mmap           |
| <b>Cache hits</b>                   | 2869           |
| <b>Cache misses</b>                 | 238            |
| <b>Used memory</b>                  | 16875816       |
| <b>Free memory</b>                  | 117341912      |
| <b>Wasted memory</b>                | 0              |
| <b>Interned Strings Used memory</b> | 1012848        |
| <b>Interned Strings Free memory</b> | 5278160        |
| <b>Cached scripts</b>               | 235            |
| <b>Cached keys</b>                  | 293            |
| <b>Max keys</b>                     | 16229          |
| <b>OOM restarts</b>                 | 0              |
| <b>Hash keys restarts</b>           | 0              |



|                 |   |
|-----------------|---|
| Manual restarts | 0 |
|-----------------|---|

| Directive                             | Local Value     | Master Value    |
|---------------------------------------|-----------------|-----------------|
| opcache.blacklist_filename            | <i>no value</i> | <i>no value</i> |
| opcache.consistency_checks            | 0               | 0               |
| opcache.dups_fix                      | Off             | Off             |
| opcache.enable                        | On              | On              |
| opcache.enable_cli                    | Off             | Off             |
| opcache.enable_file_override          | Off             | Off             |
| opcache.error_log                     | <i>no value</i> | <i>no value</i> |
| opcache.file_cache                    | <i>no value</i> | <i>no value</i> |
| opcache.file_cache_consistency_checks | On              | On              |
| opcache.file_cache_only               | Off             | Off             |
| opcache.file_update_protection        | 2               | 2               |
| opcache.force_restart_timeout         | 180             | 180             |
| opcache.huge_code_pages               | Off             | Off             |
| opcache.interned_strings_buffer       | 8               | 8               |
| opcache.jit                           | tracing         | tracing         |
| opcache.jit_bisect_limit              | 0               | 0               |
| opcache.jit_blacklist_root_trace      | 16              | 16              |
| opcache.jit_blacklist_side_trace      | 8               | 8               |
| opcache.jit_buffer_size               | 0               | 0               |
| opcache.jit_debug                     | 0               | 0               |
| opcache.jit_hot_func                  | 127             | 127             |
| opcache.jit_hot_loop                  | 64              | 64              |
| opcache.jit_hot_return                | 8               | 8               |
| opcache.jit_hot_side_exit             | 8               | 8               |
| opcache.jit_max_exit_counters         | 8192            | 8192            |
| opcache.jit_max_loop_unrolls          | 8               | 8               |
| opcache.jit_max_polymorphic_calls     | 2               | 2               |
| opcache.jit_max_recursive_calls       | 2               | 2               |
| opcache.jit_max_recursive_returns     | 2               | 2               |
| opcache.jit_max_root_traces           | 1024            | 1024            |
| opcache.jit_max_side_traces           | 128             | 128             |
| opcache.jit_prof_threshold            | 0.005           | 0.005           |
| opcache.lockfile_path                 | /tmp            | /tmp            |

|                                |                 |                 |
|--------------------------------|-----------------|-----------------|
| opcache.log_verbosity_level    | 1               | 1               |
| opcache.max_accelerated_files  | 10000           | 10000           |
| opcache.max_file_size          | 0               | 0               |
| opcache.max_wasted_percentage  | 5               | 5               |
| opcache.memory_consumption     | 128             | 128             |
| opcache.opt_debug_level        | 0               | 0               |
| opcache.optimization_level     | 0x7FFEBFFF      | 0x7FFEBFFF      |
| opcache.preferred_memory_model | <i>no value</i> | <i>no value</i> |
| opcache.preload                | <i>no value</i> | <i>no value</i> |
| opcache.preload_user           | <i>no value</i> | <i>no value</i> |
| opcache.protect_memory         | Off             | Off             |
| opcache.record_warnings        | Off             | Off             |
| opcache.restrict_api           | <i>no value</i> | <i>no value</i> |
| opcache.revalidate_freq        | 2               | 2               |
| opcache.revalidate_path        | Off             | Off             |
| opcache.save_comments          | On              | On              |
| opcache.use_cwd                | On              | On              |
| opcache.validate_permission    | Off             | Off             |
| opcache.validate_root          | Off             | Off             |
| opcache.validate_timestamps    | On              | On              |

## zlib

|                     |                            |
|---------------------|----------------------------|
| <b>ZLib Support</b> | <b>enabled</b>             |
| Stream Wrapper      | compress.zlib://           |
| Stream Filter       | zlib.inflate, zlib.deflate |
| Compiled Version    | 1.2.11                     |
| Linked Version      | 1.2.11                     |

| Directive                     | Local Value     | Master Value    |
|-------------------------------|-----------------|-----------------|
| zlib.output_compression       | Off             | Off             |
| zlib.output_compression_level | -1              | -1              |
| zlib.output_handler           | <i>no value</i> | <i>no value</i> |

## Additional Modules

|  |
|--|
|  |
|--|

## Environment

| Variable | Value    |
|----------|----------|
| USER     | www-data |
| HOME     | /var/www |

## PHP Variables

| Variable                                    | Value   |
|---|---|
| \$_COOKIE['zbx_session']                    | eyJzZXNzaW9uaWQiOiJiYzcyNDJINjdiOWI0OTc2ZTIxYjUwNzAxY2EwNWNhMyIsImNoZWNRX2ZpZWxkc19yZlN1bHQiOnRydWUsInN0ZXAiOjAsInNlcnZlckNoZWNRUmVzdWx0ljp0cnVILCJzZXJ2ZXJDaGVja1RpbWUiOjE2MjYwNzMyNjlsInNpZ24iOiJJN3BYQWF2UmFPZXM5SHBhNWFWqWlh3YWxlZ09UcEo4TVZpQzc4N29YOFNsWjgxMIJQRERITEtISGU3dHNNM3V6K0tKYUQyNUFwZFRITlc1eVcza0xGSm9MMzBzRlwwY29QZU9vRExONG5Tb3B1RWRUbEp3Y1lzekE3TEF3UnhsRkRDVEs5MTc0cUtMWGgrbUZmdlUzNE15dU4wRTFITG52NVFuUmFtdTk1enQ2YkJIM08zajdxN25Ud3ZlQkRcL2tWMyJ9             |
| \$_SERVER['USER']                           | www-data  |
| \$_SERVER['HOME']                           | /var/www  |
| \$_SERVER['HTTP_COOKIE']                    | zbx_session=eyJzZXNzaW9uaWQiOiJiYzcyNDJINjdiOWI0OTc2ZTIxYjUwNzAxY2EwNWNhMyIsImNoZWNRX2ZpZWxkc19yZlN1bHQiOnRydWUsInN0ZXAiOjAsInNlcnZlckNoZWNRUmVzdWx0ljp0cnVILCJzZXJ2ZXJDaGVja1RpbWUiOjE2MjYwNzMyNjlsInNpZ24iOiJJN3BYQWF2UmFPZXM5SHBhNWFWqWlh3YWxlZ09UcEo4TVZpQzc4N29YOFNsWjgxMIJQRERITEtISGU3dHNNM3V6K0tKYUQyNUFwZFRITlc1eVcza0xGSm9MMzBzRlwwY29QZU9vRExONG5Tb3B1RWRUbEp3Y1lzekE3TEF3UnhsRkRDVEs5MTc0cUtMWGgrbUZmdlUzNE15dU4wRTFITG52NVFuUmFtdTk1enQ2YkJIM08zajdxN25Ud3ZlQkRcL2tWMyJ9 |
| \$_SERVER['HTTP_ACCEPT_LANGUAGE']           | en-US,en;q=0.9  |
| \$_SERVER['HTTP_ACCEPT_ENCODING']           | gzip, deflate   |
| \$_SERVER['HTTP_ACCEPT']                    | text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9   |
| \$_SERVER['HTTP_USER_AGENT']                | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36   |
| \$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS'] | 1   |
| \$_SERVER['HTTP_CONNECTION']                | keep-alive  |
| \$_SERVER['HTTP_HOST']                      | 159.65.193.157  |
| \$_SERVER['REDIRECT_STATUS']                | 200   |
| \$_SERVER['SERVER_NAME']                    | 159.65.193.157  |
| \$_SERVER['SERVER_PORT']                    | 80  |
| \$_SERVER['SERVER_ADDR']                    | 159.65.193.157  |
| \$_SERVER['REMOTE_PORT']                    | 60331   |
| \$_SERVER['REMOTE_ADDR']                    | 87.110.183.173  |
| \$_SERVER['SERVER_SOFTWARE']                | nginx/1.18.0  |

|                                 |                               |
|---------------------------------|-------------------------------|
| \$_SERVER['GATEWAY_INTERFACE']  | CGI/1.1                       |
| \$_SERVER['REQUEST_SCHEME']     | http                          |
| \$_SERVER['SERVER_PROTOCOL']    | HTTP/1.1                      |
| \$_SERVER['DOCUMENT_URI']       | /phpinfo.php                  |
| \$_SERVER['REQUEST_URI']        | /phpinfo.php                  |
| \$_SERVER['SCRIPT_NAME']        | /phpinfo.php                  |
| \$_SERVER['CONTENT_LENGTH']     | <i>no value</i>               |
| \$_SERVER['CONTENT_TYPE']       | <i>no value</i>               |
| \$_SERVER['REQUEST_METHOD']     | GET                           |
| \$_SERVER['QUERY_STRING']       | <i>no value</i>               |
| \$_SERVER['PATH_TRANSLATED']    | /usr/share/zabbix/phpinfo.php |
| \$_SERVER['SCRIPT_FILENAME']    | /usr/share/zabbix/phpinfo.php |
| \$_SERVER['DOCUMENT_ROOT']      | /usr/share/zabbix             |
| \$_SERVER['FCGI_ROLE']          | RESPONDER                     |
| \$_SERVER['PHP_SELF']           | /phpinfo.php                  |
| \$_SERVER['REQUEST_TIME_FLOAT'] | 1626073270.0559               |
| \$_SERVER['REQUEST_TIME']       | 1626073270                    |

## PHP Credits

### PHP Group

Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

### Language Design & Concept

Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

### PHP Authors

| Contribution                        | Authors  |
|-------------------------------------|--|
| Zend Scripting Language Engine      | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov |
| Extension Module API                | Andi Gutmans, Zeev Suraski, Andrei Zmievski  |
| UNIX Build and Modularization       | Stig Bakken, Sascha Schumann, Jani Taskinen, Peter Kokot   |
| Windows Support                     | Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski, Kalle Sommer Nielsen         |
| Server API (SAPI) Abstraction Layer | Andi Gutmans, Shane Caraveo, Zeev Suraski  |
| Streams Abstraction Layer           | Wez Furlong, Sara Golemon  |
| PHP Data Objects Layer              | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky                      |

|                                  |   |
|----------------------------------|---|
| <b>Output Handler</b>            | Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner |
| <b>Consistent 64 bit support</b> | Anthony Ferrara, Anatol Belski                                  |

| <b>SAPI Modules</b>            |   |
|--------------------------------|---|
| <b>Contribution</b>            | <b>Authors</b>  |
| <b>Apache 2.0 Handler</b>      | Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)                    |
| <b>CGI / FastCGI</b>           | Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov                           |
| <b>CLI</b>                     | Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui |
| <b>Embed</b>                   | Edin Kadribasic   |
| <b>FastCGI Process Manager</b> | Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet                           |
| <b>litespeed</b>               | George Wang   |
| <b>phpdbg</b>                  | Felipe Pena, Joe Watkins, Bob Weinand   |

| <b>Module Authors</b>          |  |
|--------------------------------|--|
| <b>Module</b>                  | <b>Authors</b>   |
| <b>BC Math</b>                 | Andi Gutmans   |
| <b>Bzip2</b>                   | Sterling Hughes  |
| <b>Calendar</b>                | Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong   |
| <b>COM and .Net</b>            | Wez Furlong  |
| <b>ctype</b>                   | Hartmut Holzgraefe   |
| <b>cURL</b>                    | Sterling Hughes  |
| <b>Date/Time Support</b>       | Derick Rethans   |
| <b>DB-LIB (MS SQL, Sybase)</b> | Wez Furlong, Frank M. Kromann, Adam Baratz   |
| <b>DBA</b>                     | Sascha Schumann, Marcus Boerger  |
| <b>DOM</b>                     | Christian Stocker, Rob Richards, Marcus Boerger  |
| <b>enchant</b>                 | Pierre-Alain Joye, Ilia Alshanetsky  |
| <b>EXIF</b>                    | Rasmus Lerdorf, Marcus Boerger   |
| <b>FFI</b>                     | Dmitry Stogov  |
| <b>fileinfo</b>                | Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans, Anatol Belski                                       |
| <b>Firebird driver for PDO</b> | Ard Biesheuvel   |
| <b>FTP</b>                     | Stefan Esser, Andrew Skalski   |
| <b>GD imaging</b>              | Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger, Mark Randall |
| <b>GetText</b>                 | Alex Plotnick  |
| <b>GNU GMP support</b>         | Stanislav Malyshev   |
| <b>Iconv</b>                   | Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi   |

|                                    |   |
|------------------------------------|---|
| <b>IMAP</b>                        | Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky                           |
| <b>Input Filter</b>                | Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky   |
| <b>Internationalization</b>        | Ed Batutis, Vladimir Jordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar   |
| <b>JSON</b>                        | Jakub Zelenka, Omar Kilani, Scott MacVicar  |
| <b>LDAP</b>                        | Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas   |
| <b>LIBXML</b>                      | Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo   |
| <b>Multibyte String Functions</b>  | Tsukada Takuya, Rui Hirokawa  |
| <b>MySQL driver for PDO</b>        | George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter  |
| <b>MySQLi</b>                      | Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel   |
| <b>MySQLnd</b>                     | Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter  |
| <b>OCI8</b>                        | Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation |
| <b>ODBC driver for PDO</b>         | Wez Furlong   |
| <b>ODBC</b>                        | Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky   |
| <b>Opcache</b>                     | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Dmitry Stogov, Xinchun Hui  |
| <b>OpenSSL</b>                     | Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar, Eliot Lear  |
| <b>Oracle (OCI) driver for PDO</b> | Wez Furlong   |
| <b>pcntl</b>                       | Jason Greene, Arnaud Le Blanc   |
| <b>Perl Compatible Regexps</b>     | Andrei Zmievski   |
| <b>PHP Archive</b>                 | Gregory Beaver, Marcus Boerger  |
| <b>PHP Data Objects</b>            | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky   |
| <b>PHP hash</b>                    | Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar   |
| <b>Posix</b>                       | Kristian Koehntopp  |
| <b>PostgreSQL driver for PDO</b>   | Edin Kadribasic, Ilia Alshanetsky   |
| <b>PostgreSQL</b>                  | Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne   |
| <b>Pspell</b>                      | Vlad Krupin   |
| <b>Readline</b>                    | Thies C. Arntzen  |
| <b>Reflection</b>                  | Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter   |
| <b>Sessions</b>                    | Sascha Schumann, Andrei Zmievski  |
| <b>Shared Memory Operations</b>    | Slava Poliakov, Ilia Alshanetsky  |
| <b>SimpleXML</b>                   | Sterling Hughes, Marcus Boerger, Rob Richards   |
| <b>SNMP</b>                        | Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin   |
| <b>SOAP</b>                        | Brad Lafountain, Shane Caraveo, Dmitry Stogov   |
| <b>Sockets</b>                     | Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene   |
| <b>Sodium</b>                      | Frank Denis   |
|                                    |   |

|                                   |  |
|-----------------------------------|--|
| <b>SPL</b>                        | Marcus Boerger, Etienne Kneuss   |
| <b>SQLite 3.x driver for PDO</b>  | Wez Furlong  |
| <b>SQLite3</b>                    | Scott MacVicar, Ilia Alshanetsky, Brad Dewar                                   |
| <b>System V Message based IPC</b> | Wez Furlong  |
| <b>System V Semaphores</b>        | Tom May  |
| <b>System V Shared Memory</b>     | Christian Cartus   |
| <b>tidy</b>                       | John Coggeshall, Ilia Alshanetsky  |
| <b>tokenizer</b>                  | Andrei Zmievski, Johannes Schlueter  |
| <b>XML</b>                        | Stig Bakken, Thies C. Arntzen, Sterling Hughes                                 |
| <b>XMLReader</b>                  | Rob Richards   |
| <b>XMLWriter</b>                  | Rob Richards, Pierre-Alain Joye  |
| <b>XSL</b>                        | Christian Stocker, Rob Richards  |
| <b>Zip</b>                        | Pierre-Alain Joye, Remi Collet   |
| <b>Zlib</b>                       | Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner |

| <b>PHP Documentation</b>     |  |
|------------------------------|--|
| <b>Authors</b>               | Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey |
| <b>Editor</b>                | Peter Cowburn  |
| <b>User Note Maintainers</b> | Daniel P. Brown, Thiago Henrique Pojda   |
| <b>Other Contributors</b>    | Previously active authors, editors and other contributors are listed in the manual.  |

| <b>PHP Quality Assurance Team</b>  |
|--|
| <b>Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs</b> |

| <b>Websites and Infrastructure team</b> |  |
|---|--|
| <b>PHP Websites Team</b>                | Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison |
| <b>Event Maintainers</b>                | Damien Seguy, Daniel P. Brown  |
| <b>Network Infrastructure</b>           | Daniel P. Brown  |
| <b>Windows Infrastructure</b>           | Alex Schoenmaker   |

| <b>Debian Packaging</b>   |
|---|
| <b><a href="http://DEB.SURY.ORG">DEB.SURY.ORG</a>, an Ondřej Surý project</b> |

## PHP License

|  |
|--|
|  |
|--|

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).