Global view

Page 1

Geomap

Leaflet | © OpenStreetMap contributors

Zabbix server: Interface enp0s3: Network traffic

	last	min	avg	max
■ Interface enp0s3: Bits received	[no data]			
■ Interface enp0s3: Bits sent	[no data]			
■ Interface enp0s3: Outbound packets with errors	[no data]			
■ Interface enp0s3: Inbound packets with errors	[no data]			
■ Interface enp0s3: Outbound packets discarded	[no data]			
■ Interface enp0s3: Inbound packets discarded	[no data]			

Zabbix server: Interface enp0s8: Network traffic

	last	min	avg	max
■ Interface enp0s8: Bits received	[no data]			
■ Interface enp0s8: Bits sent	[no data]			
■ Interface enp0s8: Outbound packets with errors	[no data]			
■ Interface enp0s8: Inbound packets with errors	[no data]			
■ Interface enp0s8: Outbound packets discarded	[no data]			
■ Interface enp0s8: Inbound packets discarded	[no data]			

Zabbix server: /: Space utilization

2023-09-28 17:25:37

88.32 % ↑

/: Space utilization

Page 3

**Zabbix server: Linux: Context switches per second**

0   3092.39   100

Linux: Context switches per second

19:47

Riga

0.93 ↑

Zabbix server
Values per second

Zabbix server: /: Filesystem is read-only

0.00

/: Filesystem is read-only

Problems by severity

0	0	1	0	0	0
Disaster	High	Average	Warning	Information	Not classified

Geomap

Leaflet | © OpenStreetMap contributors

Current problems

Time ▼	Info	Host	Problem • Severity	Duration	Update	Actions	Tags
18:01:26	•	Zabbix server	Linux: Zabbix agent is not available (for 3m)	1h 45m 34s	Update		class: os component: system scope: availability •••

Host availability

0	1	0	1
Available	Not available	Unknown	Total

Top hosts by CPU utilization

	Utilization	1m avg	5m avg	15m avg	Processes
Zabbix server	56.21 %	5.73	5.26	3.79	318

System information

Parameter	Value	Details
Zabbix server is running	Yes	localhost:10051
Zabbix server version	7.0.0alpha3	
Zabbix frontend version	7.0.0alpha3	
Number of hosts (enabled/disabled)	1	1 / 0
Number of templates	279	
Number of items (enabled/disabled/not supported)	145	55 / 0 / 90
Number of triggers (enabled/disabled [problem/ok])	79	79 / 0 [1 / 78]
Number of users (online)	2	1
Required server performance, new values per second	1.73	
High availability cluster	Disabled	